

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	40	(order\$4 or return\$4 or purchas\$4) near10 (histor\$4 or profil\$4) near30 (barcode\$1 or bar-code\$1 or (bar adj1 code\$1)) and (cd or dvd)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/05/13 21:14
L3	171197	(dvd or cd or optical) near5 disk\$4	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/05/13 21:22
L4	48	(dvd or cd or optical) near5 disk\$4 near30 (order\$4 near5 return\$4)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/05/13 21:24
L5	2671	(dvd or cd or optical) near5 disk\$4 near30 (packag\$4 or envelop\$4)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/05/13 21:24
L6	905	(dvd or cd or optical) near5 disk\$4 near30 (packag\$4 or envelop\$4) same (customer\$4 or order\$4 or user\$4)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/05/13 22:26
L7	588	(dvd or cd or optical) near5 disk\$4 near30 (packag\$4 or envelop\$4) near30 (customer\$4 or order\$4 or user\$4)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/05/13 21:25
L8	28	(dvd or cd or optical) near5 disk\$4 near30 (packag\$4 or envelop\$4) near30 (customer\$4 or order\$4 or user\$4) same (mail\$4 or deliver\$4)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/05/13 21:35
L9	0	(dvd or cd or optical) near5 disk\$4 same (movie or audi\$4 or visual\$4) near30 (packag\$4 or envelop\$4) near30 (customer\$4 or order\$4 or user\$4) same (mail\$4 or deliver\$4)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/05/13 21:35
L10	88	(dvd or cd or optical) same (movie or audi\$4 or visual\$4) same (packag\$4 or envelop\$4) same (customer\$4 or order\$4 or user\$4) same (mail\$4 or deliver\$4)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/05/13 21:41
L11	163	(dvd or cd or video or audio) near30 (packag\$4 or envelop\$4) near30 (customer\$4 or order\$4 or user\$4 or rent\$4) near30 (mail\$4 or deliver\$4)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/05/13 21:47

EAST Search History

L12	4741	235/381,384,385,375.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/05/13 22:26
L13	3842	705/14,15.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/05/13 22:26
L14	10158	705/1,10,14,15.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/05/13 22:26
L15	5	6 and 12	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/13 22:27
L16	18	6 and 14	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/13 22:27
S2	335	mail\$3 same (barcode\$1 or bar-code\$1 or (bar adj1 code\$1)) same (customer\$1 or receiver\$2)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/05/13 08:57
S4	5	(mail\$3 same (barcode\$1 or bar-code\$1 or (bar adj1 code\$1)) same (customer\$1 or receiver\$2)) and 235/381,384.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2003/04/03 14:16
S5	739	700/222,213,214,215,216,217, 218,219,220.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2003/04/03 14:17
S6	6	(mail\$3 same (barcode\$1 or bar-code\$1 or (bar adj1 code\$1)) same (customer\$1 or receiver\$2)) and 700/222,213,214,215,216, 217,218,219,220.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2003/04/03 14:17
S7	9	(barcode\$1 or bar-code\$1 or (bar adj1 code\$1)) near30 (order or return) near30 history	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/02/21 11:48
S8	4306	(barcode\$1 or bar-code\$1 or (bar adj1 code\$1)) near30 (order or return\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2003/04/03 15:13
S9	50	(barcode\$1 or bar-code\$1 or (bar adj1 code\$1)) near30 (order or return\$3) near30 (history or merchandise\$1)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/05/13 21:20

EAST Search History

S10	0	700/222,213,214,215,216,217, 218,219,220.ccls. and ((barcode\$1 or bar-code\$1 or (bar adj1 code\$1)) near30 (order or return\$3) near30 (history or merchandise\$1))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2003/04/03 15:11
S11	52	700/222,213,214,215,216,217, 218,219,220.ccls. and ((barcode\$1 or bar-code\$1 or (bar adj1 code\$1)) near30 (order or return\$3))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2003/04/03 15:17
S12	39	700/222,213,214,215,216,217, 218,219,220.ccls. and ((barcode\$1 or bar-code\$1 or (bar adj1 code\$1)) near30 (order or return\$3)) and (mail\$3 or deliver\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2003/04/03 15:35
S13	16	700/222,213,214,215,216,217, 218,219,220.ccls. and ((barcode\$1 or bar-code\$1 or (bar adj1 code\$1)) near30 (order or return\$3)) same (mail\$3 or deliver\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2003/04/03 15:38
S14	33	(barcode\$1 or bar-code\$1 or (bar adj1 code\$1)) near30 return\$3 near30 (history or track\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2003/04/03 15:40
S15	9760	track\$3 and order and return and customer	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2003/04/03 16:43
S16	375	track\$3 and order and return and customer and inventory near5 database	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2003/04/03 16:44
S17	1	track\$3 same order\$3 same return\$3 same customer same inventory near5 database	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2003/04/03 16:54
S18	1	"5962834".pn. and barcode\$1	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2003/04/03 16:54
S19	1	"5962834".pn. and barcode\$1 and order\$3 and return\$3 and inventory and database\$1	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2003/04/03 16:57

EAST Search History

S20	1	"5962834".pn. and barcode\$1 and order\$3 and return\$3 and inventory and database\$1 and customer\$1	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2003/04/03 16:57
S21	886	return\$3 adj1 (item\$1 or merchandise\$1)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2003/04/03 17:29
S22	149	return\$3 adj1 (item\$1 or merchandise\$1) same (inventory or database)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2003/04/03 17:30
S23	10	return\$3 adj1 (item\$1 or merchandise\$1) same (inventory or database) same (barcode\$1 or bar-code\$1 or (bar adj1 code\$1))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2003/04/03 18:02
S24	1	"6456981".pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2003/04/04 09:08
S25	1	"6456981".pn. and profile\$1 and product\$1 and advertis\$3 and retail\$3 and order\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2003/04/04 09:11
S26	0	"6456981".URPN.	USPAT	OR	OFF	2003/04/04 10:47
S27	0	"6456981".URPN.	USPAT	OR	OFF	2003/04/04 10:47
S28	40	("4345315" "4355372" "4649481" "4825045" "4882724" "4905094" "4958284" "4962466" "4972504" "4982346" "5173851" "5237157" "5245533" "5249044" "5305195" "5315093" "5331544" "5355327" "5361200" "5430644" "5490060" "5502636" "5530900" "5535118" "5550746" "5557721" "5559949" "5612868" "5619558" "5621812" "5634101" "5641039" "5642484" "5664111" "5687322" "5752582" "5915243" "5918211" "5979757" "6009410" "2001/0013013").PN.	USPAT	OR	OFF	2003/04/04 10:48

EAST Search History

S29	43	"40" and (advertis\$3 same (barcode\$1 or bar-code\$1 or (bar adj1 code\$1))same customer)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2003/04/04 10:49
S30	25	return near5 address near10 (vendor or merchant)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/26 10:10
S31	4	return near1 address near10 (vendor or merchant) same (affix\$4 or attach\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/26 10:11
S32	2	"6456981".pn. and order	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/29 09:50
S33	135	mail\$3 same (barcode\$1 or bar-code\$1 or (bar adj1 code\$1)) same (customer\$1 or receiver\$2) same order\$4	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2003/12/29 09:52
S34	15	mail\$3 same (barcode\$1 or bar-code\$1 or (bar adj1 code\$1)) same (customer\$1 or receiver\$2) same order\$4 same request\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2003/12/29 10:32
S35	879	mail\$3 same (customer\$1 or user\$1) near20 order\$4 same request\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2003/12/29 10:33
S36	68	mail\$3 same (customer\$1 or user\$1) near20 order\$4 same request\$3 same (profil\$4 or habit\$1 or encourag\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2003/12/30 09:04
S37	2	"6648232".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/30 08:09
S38	2	mail\$3 same (customer\$1 or user\$1) near20 order\$4 same request\$3 same (profil\$4 or habit\$1 or encourag\$3) same future	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2003/12/30 09:04

EAST Search History

S39	40	("4345315" "4355372" "4649481" "4825045" "4882724" "4905094" "4958284" "4962466" "4972504" "4982346" "5173851" "5237157" "5245533" "5249044" "5305195" "5315093" "5331544" "5355327" "5361200" "5430644" "5490060" "5502636" "5530900" "5535118" "5550746" "5557721" "5559949" "5612868" "5619558" "5621812" "5634101" "5641039" "5642484" "5664111" "5687322" "5752582" "5915243" "5918211" "5979757" "6009410" "2001/0013013").PN.	USPAT	OR	OFF	2003/12/30 09:38
S40	15	((("4345315" "4355372" "4649481" "4825045" "4882724" "4905094" "4958284" "4962466" "4972504" "4982346" "5173851" "5237157" "5245533" "5249044" "5305195" "5315093" "5331544" "5355327" "5361200" "5430644" "5490060" "5502636" "5530900" "5535118" "5550746" "5557721" "5559949" "5612868" "5619558" "5621812" "5634101" "5641039" "5642484" "5664111" "5687322" "5752582" "5915243" "5918211" "5979757" "6009410" "2001/0013013").PN.) and (mail\$4 or ship\$4) and adverti\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/30 09:38
S41	1	"5430644".pn. and account\$3 and transaction\$1 and check\$3 and coupon\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/02 08:47

EAST Search History

S42	14	(US-6285916-\$ or US-6349194-\$ or US-6529798-\$ or US-6510992-\$ or US-6361078-\$ or US-5893512-\$ or US-5315508-\$ or US-5962834-\$ or US-6536659-\$ or US-6512919-\$ or US-5602377-\$ or US-6456981-\$ or US-4724959-\$ or US-5721832-\$).did.	USPAT	OR	OFF	2003/12/31 13:36
S43	1964	(barcode\$1 or bar-code\$1 or (bar adj1 code\$1)) near10 (customer or recipient)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/31 13:37
S44	8	((US-6285916-\$ or US-6349194-\$ or US-6529798-\$ or US-6510992-\$ or US-6361078-\$ or US-5893512-\$ or US-5315508-\$ or US-5962834-\$ or US-6536659-\$ or US-6512919-\$ or US-5602377-\$ or US-6456981-\$ or US-4724959-\$ or US-5721832-\$).did.) and ((barcode\$1 or bar-code\$1 or (bar adj1 code\$1)) near10 (customer or recipient))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/31 13:37
S45	211	mail\$3 same (barcode\$1 or bar-code\$1 or (bar adj1 code\$1)) same (coupon\$1 or advertis\$4)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2004/01/02 06:30
S46	63	mail\$3 same (barcode\$1 or bar-code\$1 or (bar adj1 code\$1)) same (coupon\$1 or advertis\$4) same customer	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2004/01/02 08:07
S47	38	mail\$3 same (barcode\$1 or bar-code\$1 or (bar adj1 code\$1)) same (coupon\$1 or advertis\$4) same customer same (order\$3 or return\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2004/01/02 08:56
S48	1	"5430644".pn. and account\$3 and transaction\$1 and check\$3 and coupon\$1 and return\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/02 08:51
S49	0	(advertis\$4 or coupon\$1) near30 (return near1 history)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/02 08:52

EAST Search History

S50	1	mail\$3 same (barcode\$1 or bar-code\$1 or (bar adj1 code\$1)) same (coupon\$1 or advertis\$4) same customer same (order\$3 or return\$3) and 235/381,384.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2004/01/02 08:56
S51	22	mail\$3 same (barcode\$1 or bar-code\$1 or (bar adj1 code\$1)) same (coupon\$1 or advertis\$4) same customer same (order\$3 or return\$3) and 705/1,10,14.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2004/06/10 10:35
S52	739	mail\$3 same (barcode\$1 or bar-code\$1 or (bar adj1 code\$1)) same (object\$1 or item\$1 or surface\$1)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2004/06/09 09:36
S53	1241	(barcode\$1 or bar-code\$1 or (bar adj1 code\$1)) same (customer\$1 or receive\$4 or recipient\$1) same track\$4	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2004/06/09 14:15
S54	6	UPS.as.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2004/06/09 14:14
S55	2	fedex.as.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2004/06/09 14:14
S56	37	(barcode\$1 or bar-code\$1 or (bar adj1 code\$1)) same (customer\$1 or receive\$4 or recipient\$1) same track\$4 same deliver\$4 same return\$4	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2004/06/09 14:15
S57	5	(barcode\$1 or bar-code\$1 or (bar adj1 code\$1)) near30 (return\$4 or credit\$4) near5 histor\$4	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2004/06/10 09:50
S58	1	"20020026359"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/10 10:35
S59	1	"6536659".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/10 17:46
S60	2	"6292785"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/10 17:45

EAST Search History

S61	1	"6292785".pn. and mail\$4 and subscriber\$1 and customer\$1 and bar\$4 and address\$4 and label\$4 and information	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/10 17:46
S62	1	"6536659".pn. and return\$4 and ship\$4 and label\$4 and credit\$4 and merchandise\$4 and identif\$4 and customer\$4 and bar\$4 and code\$4 and prepaid	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/10 17:49
S63	1	"6334108".pn. and customer\$1 and shop\$4 and histor\$4 and incentive and mail\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/10 20:55
S64	1	"6456981".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/10 20:56
S65	59	(mail\$4 or ship\$4) same (barcode or bar-code or (bar adj code)) same (return or order) same (history or profil\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/21 18:16
S66	42	(mail\$4 or ship\$4) same (barcode or bar-code or (bar adj code)) same (return or order) same (history or profil\$4) same (customer\$1 or user\$4 or buy\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/21 18:19
S67	170	(barcode or bar-code or (bar adj code)) same (return or order) same (history or profil\$4) same (customer\$1 or user\$4 or buy\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/21 18:19
S68	118	(barcode or bar-code or (bar adj code)) near30 (customer\$1 or user\$4 or buy\$4) same (return or order) same (history or profil\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/21 18:20
S69	1	"20020026359"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/19 09:47
S70	1	S69 and barcode\$4 and information and customer\$4 and adverti\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/19 11:22
S71	15	(barcode or bar-code or (bar adj1 code)) same order same return same (history or profile)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/19 11:22

EAST Search History

S72	13	("4300040" "4359631" "4414467" "4550246" "4553211" "4567359" "4575719" "4579213" "4598810" "4675515" "4734858" "4752876" "4758714").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/19 11:22
S73	0	S72 and (barcode or bar-code or (bar adj1 code)) same order same return same (history or profile)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/19 11:22
S74	2	S72 and (barcode or bar-code or (bar adj1 code)) same order same return	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/19 11:22
S75	1895	return\$4 near5 address\$4 same mail\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/21 11:18
S76	1305	return\$4 near5 address\$4 near10 mail\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/21 11:19
S77	208	return\$4 near5 address\$4 same mail\$4 same (barcode or bar-code or (bar adj1 code))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/21 11:20
S78	75	return\$4 near5 address\$4 near5 mail\$4 same (barcode or bar-code or (bar adj1 code))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/21 11:20
S79	10	return\$4 near5 address\$4 near5 mail\$4 same (barcode or bar-code or (bar adj1 code)) same order\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/21 11:48
S80	0	return\$4 near5 address\$4 near5 mail\$4 same (barcode or bar-code or (bar adj1 code)) same order\$4 same merchant	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/21 11:22
S81	1	"5893512".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/21 11:26
S82	18110	(barcode\$1 or bar-code\$1 or (bar adj1 code\$1)) and address\$4	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/02/21 11:49

EAST Search History

S83	3283	(barcode\$1 or bar-code\$1 or (bar adj1 code\$1)) and address\$4 near30 (return or order)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/02/21 11:49
S84	2872	(barcode\$1 or bar-code\$1 or (bar adj1 code\$1)) and address\$4 near10 (return or order)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/02/21 11:50
S85	576	(barcode\$1 or bar-code\$1 or (bar adj1 code\$1)) same address\$4 near10 (return or order)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/02/21 11:50
S86	121	(barcode\$1 or bar-code\$1 or (bar adj1 code\$1)) same address\$4 near10 (return or order) same (package\$4 or item\$4)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/02/21 11:50
S87	58	(barcode\$1 or bar-code\$1 or (bar adj1 code\$1)) same address\$4 near10 (return or order) same (package\$4 or item\$4) same (customer\$4 or user\$4 or merchant\$4)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/02/21 11:51
S88	3095	mail\$3 same (barcode\$1 or bar-code\$1 or (bar adj1 code\$1))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/11/11 08:35
S89	1459	235/381,384.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/05/13 22:25
S90	1	("6239737").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/02 13:26
S91	185	(barcode\$1 or bar-code\$1 or (bar adj1 code\$1)) same (order\$4 near5 return\$4)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/05/02 21:30
S92	7	(barcode\$1 or bar-code\$1 or (bar adj1 code\$1)) same (order\$4 near5 return\$4) near10 (histor\$4 or profile\$4 or record\$4 or file\$4)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/05/02 21:32
S93	299	(barcode\$1 or bar-code\$1 or (bar adj1 code\$1)) same (order\$4 near5 return\$4 or (shopping\$4)) near10 (histor\$4 or profile\$4 or record\$4 or file\$4 or list\$4)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/05/02 21:33

EAST Search History

S94	299	(barcode\$1 or bar-code\$1 or (bar adj1 code\$1)) same (order\$4 near5 return\$4 or shopping\$4) near10 (histor\$4 or profile\$4 or record\$4 or file\$4 or list\$4)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/05/02 21:34
S95	124	(barcode\$1 or bar-code\$1 or (bar adj1 code\$1)) near30 (order\$4 near5 return\$4 or shopping\$4) near10 (histor\$4 or profile\$4 or record\$4 or file\$4 or list\$4)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/05/02 21:37
S96	79	(barcode\$1 or bar-code\$1 or (bar adj1 code\$1)) near30 (order\$4 near5 return\$4 or shopping\$4) near10 (histor\$4 or profile\$4 or record\$4 or file\$4 or list\$4) near30 (customer\$4 or shopper\$4 or user\$4)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/05/02 21:38
S97	170	mail\$3 near30 (barcode\$1 or bar-code\$1 or (bar adj1 code\$1)) near30 (customer\$1 or receiver\$2)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/05/13 08:57
S98	670	(mail\$4 or deliver\$4 or ship\$4) near30 (barcode\$1 or bar-code\$1 or (bar adj1 code\$1)) near30 (customer\$1 or receiver\$2 or recipient\$4 or addressee\$4)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/05/13 08:59
S99	1376	(mail\$4 or deliver\$4 or ship\$4) near30 (barcode\$1 or bar-code\$1 or (bar adj1 code\$1)) near30 (customer\$1 or receiver\$2 or recipient\$4 or address\$4)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/05/13 08:59
S10 0	312	(mail\$4 or deliver\$4 or ship\$4) near30 (barcode\$1 or bar-code\$1 or (bar adj1 code\$1)) near30 (customer\$1 or receiver\$2 or recipient\$4 or address\$4) near30 (order\$4 or return\$4 or profile\$4 or histor\$4)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/05/13 13:44
S10 1	68	(order\$4 or return\$4 or purchas\$4) near10 (histor\$4 or profil\$4) near30 (barcode\$1 or bar-code\$1 or (bar adj1 code\$1))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2006/05/13 21:11
S10 2	1	order\$4 near5 return\$4 near30 (histor\$4 or profil\$4) near30 (barcode\$1 or bar-code\$1 or (bar adj1 code\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/13 14:40